


This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) ~~Compounds~~ A compound of ~~general~~ formula I



in which

X stands for CH or N,

W stands for hydrogen or fluorine,

A, B, D, and E each stand for a carbon atom, and Q, ~~in each case independently of one another, stand~~ stands for a nitrogen ~~or carbon~~ atom, ~~whereby only a maximum of two nitrogen atoms can be present in the ring,~~

R¹ stands for indazolyl aryl or heteroaryl, which is optionally ~~can be~~ substituted in one or more places in the same way or differently with halogen, hydroxy, C₁-C₁₂-alkyl, C₃-C₆-cycloalkyl, C₃-C₆-alkenyl, C₂-C₆-alkinyl, aralkyloxy, C₁-C₁₂-alkoxy, halo-C₁-C₆-alkyl, cyano-C₁-C₆-alkyl or with the group =O, -SO₂R⁶ or -OR⁵, whereby the C₁-C₆-alkyl optionally also can be substituted with the group -OR⁵ or -NR⁹R¹⁰,

Y and Z, in each case independently of one another, stand for a bond or for the group =CO, =CS or =SO₂,

R² and R³, independently of one another, stand for hydrogen or for the group -CONR⁹R¹⁰, -SO₂R⁶, -COR¹¹, -COC₁-C₆-alkyl, -CO-C₁-C₆-alkyl-R¹¹,

-NR⁹R¹⁰ or for C₁-C₆-alkyl, C₃-C₁₀-cycloalkyl, C₃-C₆-cycloalkenyl, or aryl ~~or heteroaryl~~ that is optionally substituted in one or more places in the same way or differently with halogen, cyano, C₁-C₁₂-alkyl, C₁-C₁₂-alkoxy, hydroxy-C₁-C₆-alkyl, halo-C₁-C₆-alkyl or with the group -NR⁷R⁸, -OR⁵, -C₁-C₆-alkyl-OR⁵, -SR⁴, -SOR⁴ or -SO₂R⁶, ~~or~~

R², R³, ~~Y~~

~~and Z together with the nitrogen atom form a 3 to 8 membered saturated or unsaturated ring, which optionally can contain additional heteroatoms in the ring and optionally can be substituted in one or more places in the same way or differently with halogen, cyano, C₁-C₁₂-alkyl, C₁-C₁₂-alkoxy, halo-C₁-C₆-alkyl, hydroxy-C₁-C₆-alkyl, or with the group -O-, -OR⁵, -SR⁴, -SOR⁴ or -SO₂R⁶;~~

R⁴ stands for C₁-C₁₂-alkyl, or aryl ~~or heteroaryl~~,

R⁵ stands for hydrogen, C₁-C₁₂-alkyl, C₃-C₁₀-cycloalkyl, C₁-C₁₂-alkoxy, halo-C₁-C₁₂-alkyl, or halo-C₃-C₆-cycloalkyl,

R⁶ stands for hydrogen, C₁-C₁₂-alkyl, halo-C₁-C₆-alkyl, or aryl ~~or heteroaryl~~, or for the group -NR⁹R¹⁰, whereby the aryl ~~or heteroaryl~~ itself is optionally ~~can~~ be substituted in one or more places in the same way or differently with C₁-C₁₂-alkyl, C₁-C₆-alkoxy, halogen or halo-C₁-C₆-alkoxy,

R⁷ and R⁸, independently of one another, stand for hydrogen or C₁-C₁₂-alkyl,

R⁹ and R¹⁰, independently of one another, stand for hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, aryl, C₃-C₈-cycloalkyl or for the group -CONR⁷R⁸, or for C₁-C₁₂-alkyl that is optionally substituted in one or more places in the same way or differently with aryl, ~~morpholine~~, hydroxy, halogen, C₁-C₁₂-alkoxy, or for the group -NR⁷R⁸, whereby the aryl itself is optionally ~~can be~~ substituted in one or more places in the same way or differently with C₁-C₆-alkoxy or halo-C₁-C₆-alkyl, ~~or~~

~~R⁹ and R¹⁰ together form a 5 to 8 membered ring that can contain additional heteroatoms; and~~

R¹¹ stands for C₁-C₆-alkyl, C₁-C₆-alkoxy, hydroxy-C₁-C₆-alkyl, hydroxy-C₁-C₆-

alkoxy, C₃-C₆-cycloalkyl, phenyl, ~~pyridyl~~, biphenyl or naphthyl, whereby the phenyl itself ~~can be~~ is optionally substituted in one or more places in the same way or differently with C₁-C₆-alkyl, or halo-C₁-C₆-alkyl, ~~as well as isomers, diastereomers, tautomers and salts~~ or an isomer, diastereomer, tautomer or salt thereof.

2. (Currently Amended) ~~Compounds of general~~ A compound of formula I, according to claim 1, in which

~~X—stands for CH₃,~~

W stands for hydrogen,

A, B, D, E and Q as a ring together stand for pyridyl,

~~R¹—stands for aryl or heteroaryl, which optionally can be substituted in one or more places in the same way or differently with halogen, hydroxy, C₁-C₆-alkyl, C₃-C₆-cycloalkyl, C₄-C₆-alkenyl, C₂-C₆-alkinyl, aralkyloxy, C₁-C₆-alkoxy, halo-C₁-C₆-alkyl, cyano-C₁-C₆-alkyl, or with the group =O, -SO₂R⁶ or -OR⁵, whereby C₁-C₆-alkyl optionally also can be substituted with the group -OR⁵ or -NR⁹R¹⁰;~~

Y and Z, in each case independently of one another, stand for a bond,

~~R² and R³, independently of one another, stand for hydrogen or for the group -CONR⁹R¹⁰, -SO₂R⁶, -COR¹¹, -COC₁-C₆-alkyl, -CO-C₁-C₆-alkyl-R¹¹, -NR⁹R¹⁰ or for C₁-C₆-alkyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkenyl, aryl or heteroaryl that is optionally substituted in one or more places in the same way or differently with halogen, cyano, C₁-C₆-alkyl, C₁-C₆-alkoxy, hydroxy-C₁-C₆-alkyl, halo-C₁-C₆-alkyl or with the group -NR⁷R⁸, -OR⁵, -C₁-C₆-alkyl-OR⁵, -SR⁴, -SOR⁴ or -SO₂R⁶; or~~

~~R², R³, Y~~

~~and Z together with the nitrogen atom form a 3 to 8 membered saturated or unsaturated ring, which optionally can contain additional heteroatoms in the ring and optionally can be substituted in one or more places in the~~

~~same way or differently with halogen, cyano, C₁-C₁₂-alkyl, C₁-C₁₂-alkoxy, halo-C₁-C₆-alkyl, hydroxy-C₁-C₆-alkyl or with the group =O, OR⁵, SR⁴, SOR⁴ or SO₂R⁶;~~

R⁴ stands for C₁-C₆-alkyl, or aryl ~~or heteroaryl~~,

R⁵ stands for hydrogen, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, C₁-C₁₂-alkoxy, C₃-C₁₀-cycloalkyl or halo-C₃-C₆-cycloalkyl,

R⁶ stands for hydrogen, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, or aryl ~~or heteroaryl~~, or for the group -NR⁹R¹⁰, whereby the aryl ~~or heteroaryl~~ itself is optionally ~~can~~ be substituted in one or more places in the same way or differently with C₁-C₆-alkyl, C₁-C₆-alkoxy, halogen or halo-C₁-C₆-alkoxy, and

R⁷ and R⁸, independently of one another, stand for hydrogen or C₁-C₆-alkyl,

~~R⁹ and R¹⁰, independently of one another, stand for hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, aryl, C₃-C₈-cycloalkyl, or for the group -CONR⁷R⁸, or for C₁-C₆-alkyl that is optionally substituted in one or more places in the same way or differently with aryl, morpholino, hydroxy, halogen or C₁-C₁₂-alkoxy, or for the group -NR⁷R⁸, whereby the aryl itself optionally can be substituted in one or more places in the same way or differently with C₁-C₆-alkoxy or halo-C₁-C₆-alkyl, and~~

R¹¹ ~~stands for C₁-C₆-alkyl, C₁-C₆-alkoxy, hydroxy-C₁-C₆-alkyl, hydroxy-C₁-C₆-alkoxy, C₃-C₆-cycloalkyl, phenyl, pyridyl, biphenyl or naphthyl, whereby the phenyl itself can be substituted in one or more places in the same way or differently with C₁-C₆-alkyl, or halo-C₁-C₆-alkyl, as well as isomers, diastereomers, tautomers and salts~~
or an isomer, diastereomer, tautomer or salt thereof.

3. (Currently Amended) Compounds of general A compound of formula I, according to claim 1, in which

X ~~stands for CH,~~

W stands for hydrogen,

A, B, D, E, and Q as a ring together stand for pyridyl,

R¹ stands for ~~phenyl, quinolinyl, isoquinolinyl or indazolyl~~, which is optionally ~~can be~~ substituted in one or more places in the same way or differently with halogen, hydroxy, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₁-C₆-alkoxy, halo-C₁-C₆-alkyl, or cyano-C₁-C₆-alkyl, whereby C₁-C₆-alkyl optionally also can be substituted with the group -OR⁵ or -NR⁹R¹⁰,

Y and Z, in each case independently of one another, stand for a bond, or for the group =CO,

R² and R³, independently of one another, stand for hydrogen or for the group -CONR⁹R¹⁰, -SO₂R⁶, -COR¹¹, -COC₁-C₆-alkyl, -CO-C₁-C₆-alkyl-R¹¹, -NR⁹R¹⁰ or for C₁-C₆-alkyl or phenyl that is optionally substituted in one or more places in the same way or differently with the group -NR⁷R⁸ or -OR⁵, or

~~R², R³, Y~~

~~and Z together with the nitrogen atom form a 3- to 8-membered saturated or unsaturated ring that optionally can contain additional heteroatoms in the ring and optionally can be substituted in one or more places in the same way or differently with halogen, cyano, C₁-C₁₂-alkyl, C₁-C₁₂-alkoxy, halo-C₁-C₆-alkyl, hydroxy-C₁-C₆-alkyl or with the group =O, -OR⁵, -SR⁴, -SOR⁴ or -SO₂R⁶;~~

R⁵ stands for hydrogen or C₁-C₆-alkyl,

R⁶ stands for hydrogen, C₁-C₆-alkyl, halo-C₁-C₆-alkyl, phenyl, or benzyl, ~~thiophenyl, or pyridyl~~, whereby the phenyl, or benzyl, ~~thiophenyl and pyridyl~~ itself are optionally ~~can be~~ substituted in one or more places in the same way or differently with C₁-C₆-alkyl, C₁-C₆-alkoxy, halogen or halo-C₁-C₆-alkoxy,

R⁷ and R⁸, independently of one another, stand for hydrogen or C₁-C₆-alkyl, and

R⁹ and R¹⁰, independently of one another, stand for hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, phenyl, biphenyl, C₃-C₈-cycloalkyl, naphthyl or for the group -CONR⁷R⁸ or for C₁-C₆-alkyl that is optionally substituted in one or more places in the same way or differently with phenyl, ~~morpholine~~, hydroxy, halogen, C₁-

C₁₂-alkoxy, or with the group -NR⁷R⁸, whereby the phenyl itself is optionally ~~can~~ be substituted in one or more places in the same way or differently with C₁-C₆-alkoxy or halo-C₁-C₆-alkyl, and

~~R¹¹—stands for C₁-C₆-alkyl, C₁-C₆-alkoxy, hydroxy-C₁-C₆-alkyl, hydroxy-C₁-C₆-alkoxy, C₃-C₆-cycloalkyl, phenyl, pyridyl, biphenyl or naphthyl, whereby the phenyl itself can be substituted in one or more places in the same way or differently with C₁-C₆-alkyl, or halo-C₁-C₆-alkyl, as well as isomers, diastereomers, tautomers and salts~~

or an isomer, diastereomer, tautomer or salt thereof.

4. (Currently Amended) Pharmaceutical agents composition comprising at least one compound of ~~general~~ formula I and a pharmaceutically acceptable carrier.

5. (Currently Amended) ~~Pharmaceutical agents according to claim 4 for use in the case of~~ A method of treating: tumor or metastasis growth, psoriasis, Kaposi's sarcoma, restenosis, ~~such as, e.g.,~~ stent-induced restenosis, endometriosis, Crohn's disease, Hodgkin's disease, leukemia; arthritis, ~~such as~~ rheumatoid arthritis, hemangioma, angiofibroma; an eye disease ~~diseases, such as~~ diabetic retinopathy, neovascular glaucoma; a renal disease ~~diseases, such as~~ glomerulonephritis, diabetic nephropathy, malignant nephrosclerosis, thrombic microangiopathic syndrome, transplant rejections and glomerulopathy; a fibrotic disease ~~diseases, such as~~ cirrhosis of the liver, a mesangial cell proliferative disease ~~diseases,~~ arteriosclerosis, or injuries to nerve tissue, or a method of inhibiting ~~inhibition of~~ the reocclusion of vessels after balloon catheter treatment, vascular prosthetics or use of mechanical devices to keep vessels open, ~~such as, e.g., stents, and as~~ or a method of applying an immunosuppressive agent agents, and or a method for supporting scar-free healing, ~~in or for treating~~ senile keratosis ~~and in or~~ contact dermatitis; which method comprises administering to a patient in need thereof an effective amount of a composition of claim 4.

6. (Currently Amended) ~~Pharmaceutical agents according to claim 5 for use~~ A

method of administering a composition of claim 4, as a VEGFR kinase 3-inhibitors of for treating lymphangiogenesis.

7. (Canceled)

8. (Previously presented) A method of inhibiting a tyrosine kinase, KDR or FLT, comprising administering a compound of claim 1.

9. (Currently Amended) ~~Use of the compounds of general~~ A composition comprising at least one compound of the formula I, according to claim 1, in a the form of a pharmaceutical preparation for enteral, parenteral and oral administration.

10. (Currently Amended) A method of treating a tumor or metastasis growth, psoriasis, Kaposi's sarcoma, restenosis, such as, e.g., stent-induced restenosis, endometriosis, Crohn's disease, Hodgkin's disease, leukemia; arthritis, such as rheumatoid arthritis, hemangioma, angiofibroma; eye diseases, such as diabetic retinopathy, neovascular glaucoma; renal diseases, such as glomerulonephritis, diabetic nephropathy, malignant nephrosclerosis, thrombic microangiopathic syndrome, transplant rejections and glomerulopathy; fibrotic diseases, such as cirrhosis of the liver, mesangial cell proliferative diseases, arteriosclerosis, or injuries to nerve tissue, and for inhibiting the reocclusion of vessels after balloon catheter treatment, in vascular prosthetics or after mechanical devices are used to keep vessels open, such as, e.g., stents, and for immunosuppression, and for supporting scar-free healing, and to treat senile keratosis or contact dermatitis, which comprises administering to a patient in need thereof a compound of claim 1.

11. (Canceled)